



# MATERIAL SAFETY DATA SHEET

## FIBERTECH RAPID REPAIR PATCH



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II  
Version 2 Revision Date 13.04.2015

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Fibaroll/Suncure Patch

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Insulation Cladding/Corrosion Protection System

#### 1.3 Details of the supplier of the safety data sheet

Company : WQS UK Ltd  
: Block 4 Unit 12  
: Chapelhall Ind Estate  
: Airdrie  
: ML6 8QH  
Telephone : +44(0) 1236 437377  
E-mail address : kevin.mcgivern@wqs-uk.co.uk

#### 1.4 Emergency telephone number

Emergency Phone # : +44(0) 1236 437377 (08:00 – 17:00 Monday to Friday)

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008

Reproductive toxicity (Category 2)  
Specific organ target toxicity – Repeated exposure (Category 1)  
Contains 2-(2h-Benzotriazol-2-yl)-4,6-ditertpentylphenol which is a substance in the Candidate List for substances of very high concern in accordance with Article 59(10) of 1907/2006 (as amended).

#### 2.2 Label elements

##### Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word Danger

Hazard statement(s)

H361d Suspected of damaging the unborn child  
H372 Causes damage to hearing organs

Precautionary statement(s)

P201 Obtain special instructions before use.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P308 + P303 If exposed or concerned: Get medical advice/attention.

Supplemental Hazard Statements None

#### 2.2 Label elements

This substance/mixture contains components considered to be persistent, bioaccumulative and toxic (PBT) and very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

**MATERIAL SAFETY DATA SHEET****FIBERTECH RAPID REPAIR PATCH****3. COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures**

Component	Classification	Concentration
<b>Styrene</b>		
CAS-No. 100-42-5 EC-No. 202-851-5 Index-No. 601-026-00-0	Flam. Liq. 3; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; Repr. 2; STOT RE 1; H226, H315, H319, H332, H361d, H372	9.3-11.3 %
<b>2-(2h-Benzotriazol-2-yl)-4,6-ditertpentylphenol</b>		
CAS-No. 25973-55-1 EC-No. 247-384-8 Index-No. [-]	STOT SE 3; Aquatic Chronic 4; H373, H413	<0.2%

For the full text of the H-Statements mentioned in this Section, see Section 16. Contains a substance in the Candidate List for substances of very high concern in accordance with Article 59(10) of 1907/2006 (as amended).

**4. FIRST AID MEASURES****4.1 Description of first aid measures****If inhaled**

If vapour or mists are breathed in, move person into fresh air. If not breathing, give artificial respiration.

**In case of skin contact**

Wash off with soap and plenty of water. If irritation persists seek further medical attention.

**In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and seek further medical attention.

**If swallowed**

Never give anything by mouth to an unconscious person. Rinse mouth with water. Seek immediate medical attention.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

**5. FIREFIGHTING MEASURES****5.1 Extinguishing media****Suitable extinguishing media**

Use water fog, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2 Special hazards arising from the substance or mixture**

Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids, and gases including carbon monoxide, carbon dioxide, and unidentified organic compounds will be evolved when this material undergoes combustion

**5.3 Advice for firefighters**

Do not breathe decomposition products and fumes. Use approved self-contained breathing apparatus. Wear fire retardant clothing. Do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus Use water spray to cool containers. Use water fog to disperse vapours that have not ignited. Prevent runoff from fire control from entering waterways. Large fires should only be dealt with by trained personnel.

**5.4 Further information**

No data available



# MATERIAL SAFETY DATA SHEET

## FIBERTECH RAPID REPAIR PATCH



### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use suitable personal protective equipment (refer to Section 8 for details). Ensure adequate ventilation. Remove all sources of ignition.

#### 6.2 Environmental precautions

Do not let product enter drains or watercourses.

#### 6.3 Methods and materials for containment and cleaning up

Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations.

#### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep in a dry and well-ventilated place. Keep away from sources of ignition.

#### 7.3 Specific end use(s)

No data available

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

##### Components with occupational exposure limits

Component	CAS No.	Reference period	Exposure Limit	Basis
Styrene	100-42-5	8hr TWA 15minSTEL	430mg/m <sup>3</sup> 1080mg/m <sup>3</sup>	UK. EH40 WEL

##### Biological occupational exposure limits

None

#### 8.2 Exposure controls

##### Appropriate engineering controls

Use in well ventilated areas. Use mechanical ventilation in poorly ventilated areas.

##### Personal protective equipment

###### Skin Protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with good practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Recommended glove types include Polythene, PVA and Viton gloves.

###### Body Protection

Impervious clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

###### Respiratory Protection

Where risk assessment in accordance with the hierarchy of controls established within the Chemical Agents Directive shows a requirement for respirators as a means of control use an organic filter type A.



# MATERIAL SAFETY DATA SHEET

## FIBERTECH RAPID REPAIR PATCH



### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

- a) Appearance                      Form: Sticky/Tacky sheet wrapped in nylon film
- b) Odour                              Styrene
- c) Odour Threshold                no data available
- d) pH                                 no data available
- e) Melting point/freezing point    no data available
- f) Initial boiling point and boiling range    no data available
- g) Flash point                      >21°C - =<60°C
- h) Evaporation rate                no data available
- i) Flammability (solid, gas)    no data available
- j) Upper/lower flammability or explosive limits    no data available
- k) Vapour pressure                no data available
- l) Vapour density                  no data available
- m) Relative density                1.2-1.8
- n) Water solubility                Miscible in water
- o) Partition coefficient: (n- octanol/water)    no data available
- p) Auto-ignition temperature    no data available
- q) Decomposition temperature    no data available
- r) Viscosity                        not applicable
- s) Explosive properties            None
- t) Oxidizing properties            None

#### 9.2 Other safety information

No data available

### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available on mixture.

#### 10.2 Chemical stability

Expected to be Stable at normal temperatures and under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available.

#### 10.4 Conditions to avoid

High temperature (>50°C), sources of ignition & direct sunlight.

#### 10.5 Incompatible materials

Strong oxidising agents.

#### 10.6 Hazardous decomposition products

No hazardous decomposition products when stored and handled correctly.

**MATERIAL SAFETY DATA SHEET****FIBERTECH RAPID REPAIR PATCH****11. TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects****Acute toxicity**LD<sub>50</sub> (Oral) >6000 mg/kg (Rat)LC<sub>50</sub> (Inhalation) 12mg/litre/4h (Rat) (Styrene)LD<sub>50</sub> (Dermal) >2000 mg/kg (Rat)**Skin corrosion/irritation**

No data available on material. May cause mild skin irritation or dermatitis on prolonged contact.

**Serious eye damage/eye irritation**

No data available on material. May cause mild eye irritation.

**Respiratory or skin sensitisation**

No data available on mixture. Not expected to have sensitisation potential.

**Germ cell mutagenicity**

No data available on mixture. Laboratory experiments have shown mutagenic effects in styrene..

**Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable or confirmed human carcinogen by IARC.

**Reproductive toxicity**

Contains styrene which is suspected of damaging the unborn child.

**Specific target organ toxicity - single exposure**

No data available on mixture.

**Specific target organ toxicity - repeated exposure**

May cause ototoxic effects through prolonged or repeated exposure.

**Aspiration hazard**

None.

**Potential health effects****Inhalation**

Excessive or prolonged inhalation of vapours may be harmful.

**Ingestion**

May cause nausea and gastric pain if swallowed.

**Skin**

May cause mild skin irritation or dermatitis on prolonged contact.

**Eyes**

May cause transient eye irritation.

**Signs and Symptoms of Exposure**

Dermatitis, central nervous system depression, nausea, dizziness and headache. Prolonged uncontrolled exposure may cause hearing loss or impairment.

**Additional Information**

Not available.

**12. ECOLOGICAL INFORMATION****12.1 Toxicity**Toxicity to fish LC50 - *Leuciscus idus* (Golden orfe) - 17.00 - 66.00 mg/l - 48 hNOEC - *Pimephales promelas* (fathead minnow) - 4 mg/l - 96 hLC50 - *Pimephales promelas* (fathead minnow) - 4.08 mg/l - 96 hLOEC - *Pimephales promelas* (fathead minnow) - 7.6 mg/l - 96 hEC50 - *Daphnia magna* (Water flea) - 182.00 mg/l - 24 hNOEC - *Daphnia magna* (Water flea) - 1.9 mg/l - 48 hLOEC - *Daphnia magna* (Water flea) - 3.3 mg/l - 48 hEC50 - *Daphnia magna* (Water flea) - 4.7 mg/l - 48 h**12.2 Persistence and degradability**

Contains 2-(2h-Benzotriazol-2-yl)-4,6-ditertpentylphenol which will be persistent in the environment

**12.3 Bioaccumulative potential**

Contains 2-(2h-Benzotriazol-2-yl)-4,6-ditertpentylphenol; with bioaccumulative potential.

**12.4 Mobility in soil**

No data available.

**12.5 Results of PBT and vPvB assessment**

Contains 2-(2h-Benzotriazol-2-yl)-4,6-ditertpentylphenol which is classified as PBT and vPvB.

**12.6 Other adverse effects**

No data available.

