



Rapid Repair Patch



A range of malleable epoxy or polyurethane resin based sheets, bandages and putties designed to enable easy and permanent repairs to all types of fittings and household components.



Stock Code	Size	Barcode	Package Type	€
RRP1	150 x 75mm	5391003000315	Box 12 x 27	6.20
RRP2	150 x 225mm	5391003000322	Box 18 x 25	11.50
RRP3	300 x 225mm	5391003000339	Box 26 x 37	16.70

Curing is by exposure to UV light (daylight) after 5 - 40 minutes - dependant on UV levels.


- Unique repair material that is clean, safe and very easy to use.
- No messy mixing, safer than conventional glass fibre because glass fibre particles cannot escape during application and curing
- When uncured it is soft and pliable. The self adhesive patch can be cut with a knife or scissors and be moulded, wrapped or laid onto almost any clean dry surface, for an instant bond.
- Immensely strong after curing, virtually rot-proof, resists weathering, impact, water and many acids and solvents.
- Vastly superior to normal GRP. Resistant to UV decay.
- Virtually no shrinkage and minimum wastage.
- Can be drilled, rubbed down and painted to provide the finish you require. Does not support the growth of any bacteria.
- Safe for use with drinking water.

Rapid Repair Pipe Wrap Bandage

The Pipe-Wrap BANDAGE is manufactured from a fibre reinforced polyurethane flexible repair tape designed for the rapid repair of cracks and leaks. It requires no mixing, it is easy to use and repaired items can be returned to service in less than thirty minutes.



The Bandage is pre-impregnated with a high performance polyurethane resin which will adhere to PVC, GRP, concrete, glass and all metals. Activated by being immersed in water, it cures to produce a tough, chemical resistant bandage around the item being repaired. The cured material is chemically inert and is non-toxic.



Stock Code	Size	Barcode	Package Type & Size (cm)	€
RR206	1.8m X 50mm	5391514860309	Box 18 x 25.5	16.80

Powerful Permanent Epoxy Putty



Marine Applications

Hull sections, Decking, Mouldings etc.

Automotive Applications


Body panels, Bumpers, and to fabricate and / or mould unavailable replacement body and trim parts and sections.

Agricultural Applications

Farm Machinery, Barns, Silos, Guttering, Dairy Equipment, Agricultural Parts, etc.

Home & Office

Guttering, Water Tanks, Pipes, Wood Repair and Filler etc.



- In order to achieve optimum adhesion, surfaces should be cleaned free of grease, dirt, paint etc. To ensure a good bond, abrade both surfaces followed by additional cleaning.
- Twist or cut off the required amount of Putty.
- If the material is cold, mixing it may be difficult, and warming it to room temperature is advised. When warm enough, mix and knead the putty with the fingers for at least one minute or until it is a uniform white colour.
- Press the putty onto the prepared surface within 5 to 10 minutes of mixing, after which time it will start to harden. If it is being used as an adhesive, apply to both surfaces and then unite by forcing them together. Support the joint as necessary. If it is being used as a filler/repair material, force the putty into the area to be filled and shape and remove any excess with a tool wetted with clean water.
- After 20 to 30 minutes the putty will harden like metal and start to form a tenacious bond. After 60 minutes, the material is sufficiently cured to be drilled or sawn and it will achieve full cure after 24 hours. It can also be smoothed down with the enclosed wet and dry strip and then finished as required.

Stock Code	Barcode	Package Type & Size (cm)	€
RRFIX	5391003000766	Card 10 x 20	10.50



Rapid Repair Self Amalgamating Fusion Tape

- Seals instantly — 100% waterproof and airtight
- Flexible and permanently elastic
- Bonds to itself for a seamless seal — no glue needed
- Stands strong against sun, rain, snow, and UV rays
- Performs in extreme temperatures (–54 °C to +260 °C)
- Resistant to oils, fuels, acids, solvents, and more

- Stretches up to 300% without breaking
- Built to handle extreme pressure (up to 12 bar)
- Easy to adjust within seconds of applying
- Works even under pressure or underwater
- Ready for use immediately after application
- Clean removal — no sticky residue left behind



Stock Code	Size	Barcode	Package Type	€
FT100	4m x 25mm	5391514860538	Card 10 x 20	9.50



FiberTech Moisture Absorption, Ceramic Repair & Tanking Products



Moisture Absorption Kit

Moisture in the air is normal, but high humidity and poor ventilation causes excess moisture. This 'damp' can cause mildew, mould, musty odour and peeling wallpaper. DampSorb is easy to use and an effective solution to this problem.

Works Immediately to:

- Absorb Moisture
- Reduce Humidity Levels
- Protect Against Damp and Mildew
- Combat Musty Odours
- Improve Air Quality



Two Part Epoxy Ceramic Repair Kit

For Repairing Cracks & Blemishes in White Ceramic, Enamel and Acrylic Surfaces



A simple to use and very effective kit of components designed to enable surface renovation of bathroom fittings. The materials will repair and hide cracks and blemishes in ceramic, china clay, acrylic, GRP and enamelled surfaces.

Stock Code	Barcode	Package Type & Size (cm)	€
FTDS1	5391514860514	Card 26 x 37	7.36



Junior Moisture Trap



Stock Code	Barcode	Package Type & Size (cm)	€
FTDS2	5391514860507	Card 18 x 25.5	5.26



Refill 500g

Features

- Simple and Effective to Assemble
- Can be Used in all Rooms
- No Power Supply Required
- Easy to Fill
- No-Spill Construction
- Refill Indicator
- Refills Available

Stock Code	Barcode	Package Type & Size (cm)	€
FTDS3	5391514860521	Box 16 x 25.5	4.00

Stock Code	Barcode	Package Type & Size (cm)	€
FT101C	5391514860545	Card 25.5 x 18	25.00

Waterproof Tanking Kit



The Kit Includes these illustrated items:

The contents would be sufficient for 4.5m², about the area of a typical domestic shower unit.)

- As easy to use as paint
- Totally waterproof
- Provides a flexible membrane
- Everything required - in one box
- Suitable for power showers and wetrooms
- Sufficient for 4.5m²




Stock Code	Barcode	Package Type & Size (cm)	€
FTTK1	5391514860705	Box 30 x 30	65.00



Self Adhesive Floor Protectors - Round

2.5mm Thick




5mm Thick




Self Adhesive Floor Protectors - Square

2.5mm Thick



5mm Thick



2.5mm Thick

Stock Code	Pack Qty	Ø mm	Barcode	Package Type	€
FTR1525	64	15	5391514860736	Card 20 x 25	2.50
FTR2225	49	22	5391514860743	Card 20 x 25	2.50
FTR2625	36	26	5391514860750	Card 20 x 25	2.50
FTR3225	25	32	5391514860767	Card 20 x 25	2.50
FTR4025	16	40	5391514860774	Card 20 x 25	2.50
FTR5525	9	55	5391514860781	Card 20 x 25	2.50
FTR8325	4	83	5391514860798	Card 20 x 25	2.50

2.5mm Thick

Stock Code	Pack Qty	Ø mm	Barcode	Package Type	€
FTS1525	64	15	5391514860873	Card 20 x 25	2.50
FTS2225	49	22	5391514860880	Card 20 x 25	2.50
FTS2625	36	26	5391514860897	Card 20 x 25	2.50
FTS3225	25	32	5391514860903	Card 20 x 25	2.50
FTS4025	16	40	5391514860910	Card 20 x 25	2.50
FTS5525	9	55	5391514860927	Card 20 x 25	2.50
FTS8325	4	83	5391514860934	Card 20 x 25	2.50

5mm Thick

Stock Code	Pack Qty	Ø mm	Barcode	Package Type	€
FTR155	64	15	5391514860804	Card 20 x 25	3.50
FTR225	49	22	5391514860811	Card 20 x 25	3.50
FTR265	36	26	5391514860828	Card 20 x 25	3.50
FTR325	25	32	5391514860835	Card 20 x 25	3.50
FTR405	16	40	5391514860842	Card 20 x 25	3.50
FTR555	9	55	5391514860859	Card 20 x 25	3.50
FTR835	4	83	5391514860866	Card 20 x 25	3.50

5mm Thick

Stock Code	Pack Qty	Ø mm	Barcode	Package Type	€
FTS155	64	15	5391514860941	Card 20 x 25	3.50
FTS225	49	22	5391514860958	Card 20 x 25	3.50
FTS265	36	26	5391514860965	Card 20 x 25	3.50
FTS325	25	32	5391514860972	Card 20 x 25	3.50
FTS405	16	40	5391514860989	Card 20 x 25	3.50
FTS555	9	55	5391514860996	Card 20 x 25	3.50
FTS835	4	83	5391514861009	Card 20 x 25	3.50

Nail In Felt Floor Protectors



Stock Code	Pack Qty	Ø mm	Barcode	Package Type & Size (cm)	€
FTRN17	10	17	5391514861016	Card 12 x 15.5	1.50
FTRN20	10	20	5391514861023	Card 12 x 15.5	1.70
FTRN22	10	22	5391514861030	Card 12 x 15.5	1.90
FTRN24	10	24	5391514861047	Card 12 x 15.5	2.10
FTRN28	10	28	5391514861054	Card 12 x 15.5	2.30