



**1 Gang 1 Way
Switch 10 Amp
250V**



Stock Code	Barcode	Package Type & Size (cm)		€
LWSW11	5391269783151	Header	11 x 15	3.40



**3 Gang 2 Way
Switch 10 Amp
250V**



Stock Code	Barcode	Package Type & Size (cm)		€
LWSW32	5391269783199	Header	11 x 15	6.40



**1 Gang 2 Way Switch 10 Amp
250V**



LWSW12	5391269783168	Header	11 x 15	3.48
--------	---------------	--------	---------	------



4 Gang 2 Way Switch 10 Amp 250V

LWSW42	5391269783205	Header	21.5 x 17	9.48
--------	---------------	--------	-----------	------



**1 Gang
Intermediate
Switch
10 Amp
250V**



LWSWINT	5391269783175	Header	11 x 15	6.00
---------	---------------	--------	---------	------




**1 Gang Architrave
Switch incl.
Box 10 Amp
250V**



LWASBOX	5391269783212	Header	8.5 x 15	5.60
---------	---------------	--------	----------	------



**2 Gang 2 Way Switch 10 Amp
250V**




Stock Code	Barcode	Package Type & Size (cm)		€
LWSW22	5391269783182	Header	11 x 15	4.84



**20A Switch c/w Neon Light
10 Amp 250V**



LWS20L	5391269783229	Header	11 x 15	6.84
--------	---------------	--------	---------	------



Fan Isolation Switch



LWFANISO	5391269758197	Card	18.3 x 17	7.38
----------	---------------	------	-----------	------

Features for all items on this page include:

- Suitable for General Electric Applications
- Compliant with BS EN 60669-1
- CE Approved
- Fixing Screws Included

Electrical Accessories



**5 Amp Torpedo Switch 6(3)A,
250V, IP20**



**1 Gang 2 Way IP66 250V
10 Amp Waterproof Switch**



Stock Code	Barcode	Package Type & Size (cm)		€
LW2279	5391269783236	Header	6 x 13	7.10

Stock Code	Barcode	Package Type & Size (cm)		€
LWES302	5391269783274	Header	16 x 15	23.88



10 Amp, 2 Way Ceiling Switch



**2 Gang 2 Way IP66 250V
10 Amp Waterproof Switch**



LWCS4302	5391269783243	Header	13.5 x 14	7.54
----------	---------------	--------	-----------	------



**1 Gang Dimmer Switch 60
- 400W**



LWHD12	5391269783250	Header	13.5 x 15	21.76
--------	---------------	--------	-----------	-------



**2 Gang Dimmer Switch 60
- 400W**



LWHD22	5391269783267	Header	13.5 x 15	44.38
--------	---------------	--------	-----------	-------



**45 Amp Rocker
Switch c/w Neon Light**



**45 Amp
Pull
Cord**



**50A Double Pole
Pull Cord Ceiling Switch**

LWSWPC45A	5391269758203	Card	18.3 x 17	17.68
-----------	---------------	------	-----------	-------



**Immersion
Heater
Switch**



**Dual Immersion
Heater Switch c/w Neon Light 250V**

LWVX5207	5391269758173	Card	18.3 x 17	13.66
----------	---------------	------	-----------	-------

Features for all items on this page include:

- Suitable for General Electric Applications
- Compliant with BS EN 60669-1
- CE Approved
- Fixing Screws Included

Stock Code	Barcode	Package Type & Size (cm)		€
LWSW45A	5391269758180	Card	18.3 x	14.66




13 Amp Switched Spur Outlet c/w Neon Light 250V

Stock Code	Barcode	Package Type & Size (cm)	€
LW13SFOL	5391269758241	Card 18.3 x 17	8.36



1 Gang Unswitched Socket 13 Amp 250V



Stock Code	Barcode	Package Type & Size (cm)	€
LWS13	5391269783298	Header 11 x 15	5.72



2 Gang Unswitched Socket 13 Amp 250V

13 Amp Switched Spur Outlet w/o Neon Light 250V



LW13SFO	5391269758234	Header 11 x 15	7.50
---------	---------------	----------------	------

13 Amp Un-switched Spur Outlet w/o Neon Light 250V



LW13FO	5391269758210	Header 11 x 15	6.26
--------	---------------	----------------	------

13 Amp Unswitched Spur Outlet c/w Neon Light 250V



LW13FON	5391269758227	Card 18.3 x 17	7.08
---------	---------------	----------------	------


Features for all items on this page include:

- Suitable for General Electric Applications
- Compliant with BS EN 60669-1
- CE Approved
- Fixing Screws Included

Stock Code	Barcode	Package Type & Size (cm)	€
LWS213	5391269783304	Header 21.5 x 17	4.64



1 Gang Switched Socket 13 Amp 250V



Stock Code	Barcode	Package Type & Size (cm)	€
LWS13S	5391269783311	Header 11 x 15	6.50



2 Gang Switched Socket 13 Amp 250V

Stock Code	Barcode	Package Type & Size (cm)	€
LWS213S	5391269783328	Header 21.5 x 16	5.16

Electrical Accessories



2 Gang Switched Socket c/w Neon Lights 13 Amp 250V



1 Gang Extension Socket 13 Amp 250V



Stock Code	Barcode	Package Type & Size (cm)		€
LWNSK333	5391269783373	Header	11 x 14	5.04

Stock Code	Barcode	Package Type & Size (cm)		€
LWS13SL	5391269783335	Header	21.5 x 16	12.22



2 Gang Switched Socket with 2 x 3.1 USB Ports 13 Amp 250V



2 Gang Extension Socket 13 Amp 250V



Stock Code	Barcode	Package Type & Size (cm)		€
LWNSK444	5391269783380	Header	16 x 13	8.20

Stock Code	Barcode	Package Type & Size (cm)		€
LWS213SUSB	5391269783342	Header	21.5 x 17	28.00



1 Gang Unswitched Socket 5 Amp 250V



Stock Code	Barcode	Package Type & Size (cm)		€
LWS15	5391269783359	Header	11 x 15	7.56



4 Gang 2 Way Switch 10 Amp 250V



Stock Code	Barcode	Package Type & Size (cm)		€
LWES101	5391269783366	Header	21.5 x 17	30.32



Dual Volt Shaver Socket Outlet 115 - 230V IP41 20VA



Stock Code	Barcode	Package Type & Size (cm)		€
LWW073	5391269783397	Header	13.5 x 21	50.48



13 Amp Plug Top 250V



Stock Code	Barcode	Package Type & Size (cm)		€
LWPLUG	5391269758258	Header	13 x 12	3.76

Features for all items on this page include:

- Suitable for General Electric Applications
- Compliant with BS EN 60669-1
- CE Approved
- Fixing Screws Included



13 Amp Rubber Plug Top 250V



Stock Code	Barcode	Package Type & Size (cm)		€
LWHP13R	5391269783403	Header	11 x 12	6.00



15 Amp 3 Round Pin Plug Top 250V



Stock Code	Barcode	Package Type & Size (cm)		€
LWPT875	5391269783441	Header	11 x 13	8.84



13 Amp 2 Way Adaptor Socket 250V



Stock Code	Barcode	Package Type & Size (cm)		€
LWMP815	5391269783410	Header	11 x 12	4.80



Pack of 6, Socket Safety Covers



LWPPSD13	5391269783458	Header	11 x 13	5.76
----------	---------------	--------	---------	------



13 Amp 3 Way Adaptor Socket 250V



Stock Code	Barcode	Package Type & Size (cm)		€
LWMP817	5391269783427	Header	14 x 15	8.00



Continental Plug Adaptor (for use in Europe)



LW9168	5391269783465	Header	11 x 13	5.02
--------	---------------	--------	---------	------



5 Amp Plug Top to Suit 5 Amp Socket 250V



Stock Code	Barcode	Package Type & Size (cm)		€
LWPT105	5391269783434	Header	11 x 12	6.00



Continental Plug Adaptor (for use in Ireland)



LW2968	5391269783472	Header	11 x 14	8.38
--------	---------------	--------	---------	------



13 Amp Euro Adaptor Socket 250V Max Load 3.2kW



Stock Code	Barcode	Package Type & Size (cm)		€
LW2968F	5391269783489	Header	11 x 14	8.00

Features for all items on this page include:

- Suitable for General Electric Applications
- Compliant with BS EN 60669-1
- CE Approved
- Fixing Screws Included


Electrical Accessories



13 Amp Euro Adaptor Socket
250V Max Load 3.2kW



1 Gang Blank Plate



Stock Code	Barcode	Package Type & Size (cm)		€
LWSA873	5391269783496	Header	11 x 14	4.18

Stock Code	Barcode	Package Type & Size (cm)		€
LW1BP	5391269783540	Header	11 x 18	2.34



24 Hour Plug in Timer
250V 13(2)
A Max
load 3.2Kw



**2 Gang
Blank Plate**

LWYPT24H	5391269783502	Header	14 x 17	12.56
----------	---------------	--------	---------	-------



7 Day Plug in Timer
250V
13(2) A Max
load 3.2Kw




LW2BP	5391269783557	Header	22 x 18	3.00
-------	---------------	--------	---------	------

LWWYPE24H	5391269783519	Header	14 x 17	23.30
-----------	---------------	--------	---------	-------



**Plug in RCD
Adaptor**



**1 Gang Surface Mounted
Pattress Box**



LWSPB25	25mm	5391269758265	Card	12 x 15.5	2.92
LWSPB45	46mm	5391269758272	Card	12 x 15.5	4.38

LWYPTRCD	5391269783526	Header	14 x 17	31.48
----------	---------------	--------	---------	-------



**Plug in Auto
Nightlight** 56
Lumen 250V



**2 Gang
Surface
Mounted
Pattress Box**

Stock Code	Size	Barcode	Package Type & Size (cm)		€
LWSSB2	25mm	5391269783564	Header	22 x 18	4.04
LW247P	46mm	5391269783625	Header	22 x 18	6.24

LW600F	5391269783533	Header	11 x 18	19.44
--------	---------------	--------	---------	-------



1 Gang Metal Socket Box



Stock Code	Size	Barcode	Package Type & Size (cm)	€
LWTE55	25mm	5391269783571	Header 11 x 14	2.14



1 Gang Deep Metal Socket Boxes



LWTE15	35mm	5391269783632	Header 14 x 15	2.28
LWTE18	47mm	5391269783649	Header 14 x 15	3.02



2 Gang Metal Back Box

LWTE65	25mm	5391269783588	Header 22 x 15	2.54
LWTE25	35mm	5391269783656	Header 22 x 15	2.72
LWTE28	47mm	5391269783663	Header 22 x 15	3.82



1 Gang Dry Lining Box

• Compliant with BS EN 5733



LWCDLB1	35mm	5391269783595	Header 16 x 15	2.74
---------	------	---------------	----------------	------



2 Gang Dry Lining Box - 35mm Deep

• Compliant with BS EN 5733

Stock Code	Size	Barcode	Package Type & Size (cm)	€
LWCDLB2	35mm	5391269783601	Header 22 x 15	3.24



1 Gang Switch Surface Box



• Compliant with BS EN 5733

LWSSP1	19mm	5391269783618	Header 14 x 16	2.72
--------	------	---------------	----------------	------



Flat Ceiling Rose 250V 6 Amp



LWCR1735	5391269783670	Header 11 x 15	4.80
----------	---------------	----------------	------



Ceiling Rose Kit with 6" Pendant 250V 6 Amp

• Compliant with BS67



LWM1735FLT2	5391269783687	Header 14 x 19	5.84
-------------	---------------	----------------	------



Unswitched Brass Lamp Holder 250V, 2 Amp

• Compliant with BS EN 61184



LW241E	5391269783694	Header 9 x 10	9.50
--------	---------------	---------------	------

Features for all items on this page include:

- Suitable for General Electric Applications
- CE Approved

Electrical Accessories



Switched Brass Lamp Holder
250V, 2 Amp

- Compliant with BS EN 61184



Stock Code	Barcode	Package Type & Size (cm)		€
LWLH845	5391269783700	Header	9 x 11	3.74



Clip Light & Plug Top



Stock Code	Barcode	Package Type & Size (cm)		€
LWCLPT	5391269783755	Header	21 x 18	13.94



Straight Baton Holder



LWBH1149T2	5391269783717	Header	14 x 15	4.16
------------	---------------	--------	---------	------



Angle Baton Holder

- Fixing Screws included



LWBL552	5391269783724	Header	16 x 18	4.80
---------	---------------	--------	---------	------



100W Cord Grip Lampholder
(60W closed shade)



Stock Code	Barcode	Package Type & Size (cm)		€
LWLH606T2	5391269783731	Header	9 x 12	3.56



Short Skirt for Lamp Holder



Stock Code	Barcode	Package Type & Size (cm)		€
LWPPSS1	5391269783748	Header	9 x 10	3.56



Pack of 2, Clear 1 Gang Finger Plates



LW1890C2	5391269783762	Header	16 x 21	5.94
----------	---------------	--------	---------	------




Pack of 2, White 1 Gang Finger Plates



LW1890W2	5391269783779	Header	16 x 21	5.94
----------	---------------	--------	---------	------



Pack of 10 Bright Zinc Plated Socket Set Screws



LWES3530	3.5 x 30	5391269784059	Header	9 x 9	2.64
LWES3540	3.5 x 40	5391269784066	Header	9 x 9	2.64
LWES3550	3.5 x 50	5391269784073	Header	9 x 9	2.94
LWES3575	3.5 x 75	5391269784080	Header	9 x 11	3.68

Features for all items on this page include:

- Suitable for General Electric Applications
- CE Approved



Pack of 50, Cable Clips



Stock Code	Size	Barcode	Package Type & Size (cm)		€
LWC201	3.5	5391269783984	Header	9 x 11	4.24
LWC202	4.5	5391269783991	Header	9 x 11	4.50
LWC203	5	5391269784004	Header	9 x 11	4.66
LWC204	6	5391269784011	Header	9 x 11	4.70
LWC205	7	5391269784028	Header	9 x 11	4.74
LWC206	9	5391269784035	Header	9 x 14	6.78
LWC207	11	5391269784042	Header	9 x 14	9.92



33M Roll of Green/Yellow Insulating Tape



LWIT19RG	5391269784141	Header	11 x 15	2.50
----------	---------------	--------	---------	------



33M Roll of White Insulating Tape



LWIT19W	5391269784158	Header	11 x 15	2.50
---------	---------------	--------	---------	------



33M Roll of Red Insulating Tape



LWIT19R	5391269784172	Header	11 x 15	2.50
---------	---------------	--------	---------	------



33M Roll of Blue Insulating Tape



Stock Code	Barcode	Package Type & Size (cm)		€
LWIT19BU	5391269784165	Header	11 x 15	2.50



33M Roll of Green Insulating Tape



LWIT19G	5391269784189	Header	11 x 15	2.50
---------	---------------	--------	---------	------



33M Roll of Yellow Insulating Tape



LWIT19Y	5391269784196	Header	11 x 15	2.50
---------	---------------	--------	---------	------



33M Roll of Brown Insulating Tape



LWIT19BR	5391269784202	Header	11 x 15	2.50
----------	---------------	--------	---------	------



33M Roll of Black Insulating Tape



Stock Code	Barcode	Package Type & Size (cm)		€
LWIT19BL	5391269784219	Header	11 x 15	2.50

Features for all items on this page include:

- Suitable for General Electric Applications
- CE Approved

Electrical Accessories



Pack of 10, Cable Glands IP68



2 & 3 Pin Flex Connector 250V 5 Amp



Stock Code	Size	Barcode	Package Type & Size (cm)		€
LWPG11P	20mm	5391269784301	Header	16 x 14	6.64

Stock Code	Type	Barcode	Package Type & Size (cm)		€
LW9418W	2 Pin	5391269784288	Header	9 x 15	8.70
LWC856	3 Pin	5391269783809	Header	9 x 15	9.00



Pack of 100, Cable Ties
 • For General Electric Applications
 • Cable Ties in pack of 100



Clear

LWCT25100	2.5 x 100	5391269784226	Header	11 x 18	2.14
LWCT36200	3.6 x 200	5391269784233	Header	11 x 21	4.88
LWCT47380	4.7 x 380	5391269784240	Header	11 x 28	12.26
LWCT47450	4.7 x 450	5391269784257	Header	11 x 38	14.20
LWCT76300	7.6 x 300	5391269784264	Header	11 x 43	15.60
LWCT76400	7.6 x 400	5391269784271	Header	11 x 43	19.64

Black

LWCTB25100	2.5 x 100	5391269784288	Header	11 x 18	2.14
------------	-----------	---------------	--------	---------	------



Pack of 2, 40-80W Fluores Starters 4 - 65W



LWFSU465	5391269783786	Header	9 x 10	2.64
----------	---------------	--------	--------	------



Strip Connector Block 12 Terminal



LWFA12	5	5391269783816	Header	9 x 15	2.38
LWC502	15	5391269783823	Header	9 x 15	3.08
LWC15A12	15	5391269783830	Header	9 x 15	4.52



45 Amp Cooker Connection Unit



LW30A12	5391269783847	Header	9 x 15	8.76
---------	---------------	--------	--------	------



2 & 3 Pin Flex Connector 250V 5 Amp

- Suitable for General Electric Applications
- 240V 5 Amp Flex Connector
- CE Approved
- Complies with BS6220
- Fixing Screws Included



LWCO45	5	5391269783854	Header	14 x 15	4.00
LWJB204	20	5391269783861	Header	14 x 15	4.64
LWJB304	30	5391269783878	Header	14 x 15	5.38



Coffin Box 400V IP54 10Amp (90 x 44 x 45mm)



Stock Code	Barcode	Package Type & Size (cm)		€
LWLBCCONN	5391269783885	Header	11 x 15	2.90

Features for all items on this page include:

- Suitable for General Electric Applications
- CE Approved



**OBO Box 400V IP54
10 Amp
(75 x 75 x 45mm)**



Stock Code	Barcode	Package Type & Size (cm)		€
LWLBSCONN	5391269783922	Header	14 x 15	3.20



Round Junction Box



- Round Junction Box - 35mm Deep IP55 & 40mm Deep IP44

LWLG1	65mm	5391269783908	Header	14 x 15	3.12
LWLG2	80mm	5391269783915	Header	14 x 15	3.60



Square Junction Box



- Square Junction Box - 40mm Deep IP65 & 50mm Deep IP55


LWLG3	80mm	5391269783922	Header	14 x 15	4.38
LWLG4	100mm	5391269783939	Header	14 x 15	6.24



Pack of 4 Fuses




Stock Code	Amp	Barcode	Package Type & Size		€
LWSAF01	1	5391269783946	Header	9 x 15	2.64
LWSAF03A	3	5391269783953	Header	9 x 15	2.64
LWSAF05A	5	5391269783960	Header	9 x 15	2.64
LWSAF13A	13	5391269783977	Header	9 x 15	2.64



**Cartridge Type Ceramic Fuse,
Pack of 2, DZ**




Stock Code	Amp	Barcode	Package Type & Size		€
LW6ADZ	6	5391269751013	Card	9 x 12	4.16
LW10ADZ	10	5391269751020	Card	9 x 12	4.16
LW16ADZ	16	5391269751037	Card	9 x 12	4.16
LW20ADZ	20	5391269751044	Card	9 x 12	4.16
LW25ADZ	25	5391269751051	Card	9 x 12	4.16
LW35ADZ	35	5391269751068	Card	9 x 12	6.22
LW50ADZ	50	5391269751075	Card	9 x 12	6.22
LW63ADZ	63 x 1	5391269751082	Card	9 x 12	6.22



**Cartridge Type Ceramic Fuse,
Pack of 2, NDZ**



Stock Code	Amp	Barcode	Package Type & Size		€
LW6ANDZ	6	5391269751099	Card	9 x 12	4.74
LW10ANDZ	10	5391269751105	Card	9 x 12	7.88
LW16ANDZ	16	5391269751112	Card	9 x 12	7.88
LW20ANDZ	20	5391269751129	Card	9 x 12	4.74
LW25ANDZ	25	5391269751136	Card	9 x 12	4.74
LW35ANDZ	35	5391269751143	Card	9 x 12	4.74



**Cartridge Type Ceramic Fuse,
Pack of 2, NZ**



Stock Code	Amp	Barcode	Package Type & Size		€
LW10ANZ	10	5391269751150	Card	9 x 12	4.10
LW35ANZ	35	5391269751167	Card	9 x 12	5.78
LW50ANZ	50	5391269751174	Card	9 x 12	5.78
LW63ANZ	63 x 1	5391269751181	Card	9 x 12	5.78

Features for all items on this page include:

- Suitable for General Electric Applications
- CE Approved


Electrical Accessories



2M 13 Amp 4 Gang Switched Extension Lead 250V

- Suitable for General Electric Applications
- 250V, 13 Amp, 4 Gang Switched Extension Lead
- CE Approved

Stock Code	Barcode	Package Type & Size (cm)		€
LWEL4G2SW	5391269784097	Header	22 x 34	26.80



2M 13 Amp 4 Gang Surge Protected Extension Lead 250V

LWSP4G2	5391269784103	Header	22 x 34	24.72
---------	---------------	--------	---------	-------



2M 13 Amp 4 Gang Extension Lead 250V

LWEL4G2	5391269784127	Header	22 x 34	18.84
LWEL4G5	5391269784134	Header	22 x 34	29.40



3M 13 Amp 2 Gang Extension Lead 250V

LWEL2G3	5391269784110	Header	22 x 34	20.04
---------	---------------	--------	---------	-------



5M Length of White 4 Core Heat Resistant Flex

- Suitable for General Electric Applications
- 5M Length of White 4 Core Heat Resistant Flex
- CE Approved




4CR25HR	2.5mm ² 25A	5391269687664	Header	21.5 x 24	POA
---------	------------------------	---------------	--------	-----------	-----



5M Length of White 2 Core Flex

- Suitable for General Electric Applications
- 5M Length of White 2 Core Flex
- CE Approved



Stock Code	Size	Barcode	Package Type & Size (cm)		€
2CR5	0.50mm ² 3A	5391269687541	Header	21.5 x 24	POA
2CR75	0.75mm ² 6A	5391269687572	Header	21.5 x 24	POA



5M Length of White 3 Core Flex

- Suitable for General Electric Applications
- 5M Length of White 3 Core Flex
- CE Approved



3CR5	0.50mm ² 3A	5391269687558	Header	21.5 x 24	POA
3CR75	0.75mm ² 6A	5391269687589	Header	21.5 x 24	POA
3CR15	1.50mm ² 16A	5391269687602	Header	21.5 x 24	POA
3CR25	2.50mm ² 25A	5391269687633	Header	21.5 x 24	POA



5M Length of Black 3 Core Rubber Flex

- Suitable for General Electric Applications
- 5M Length of Black 3 Core Flex
- CE Approved




3CRB15	1.5mm ² 16A	5391269687695	Header	21.5 x 24	POA
3CRB25	2.5mm ² 25A	5391269687701	Header	21.5 x 24	POA



5M Length of White 4 Core Flex

- Suitable for General Electric Applications
- 5M Length of White 4 Core Flex
- CE Approved



4CR75	0.75mm ² 6A	5391269687596	Header	21.5 x 24	POA
4CR15	1.5mm ² 16A	5391269687619	Header	21.5 x 24	POA
4CR25	2.5mm ² 20A	5391269687640	Header	21.5 x 24	POA